



VMOTO  
FLEET


F01  
ELECTRIC MOBILITY

**F01 is the pioneer of a new design line**, which stands between stylistic quality and comfort. Agile, handling and eye-catching, it is the perfect B2B two-wheeler for those who want to distinguish their fleet.



**QUICK ACCESS**

The front fairings of F01 can be easily removed to reach the electronic components, which are concentrated at the front of the scooter.



F01



**High protection**

Unbreakable foot-steps, protect all body parts.



**45** km/h  
L1e-B speed



**2** kW  
L1e-B Engine power



**80** km  
L1e-B Range

**80** km/h  
L3e-A1 speed

**3.5** kW  
L3e-A1 Engine power

**65** km  
L3e-A1 Range

**FORMALIZED BATTERY PACK**

F01 battery pack fits on multiple Vmoto models: less battery stock for operator, more opportunity to live your never ending travel.



**60V45Ah** or **60V32Ah** Battery capacity  
**3** years Warranty  
**1500+** Cycles  
**3.5h** Fast charger (optional)

**EASY REPAIR**

Unique and unmistakable, it conveys elegance and solidity with a focus on easy repair in case of damage.

**Mobile phone holder**

Practical and unbreakable



**design**

at its best





White

Nado Grey

## TECHNICAL INFORMATION

<b>Homologation</b>	L1e-B, L3e-A1 (comparable to a 50cc, 125cc.)		
<b>Motor</b>	VMOTO	<b>Weight</b>	110 kg (60 V/45 Ah)   106 kg (60 V/32 Ah)
<b>Rated power</b>	L1e-B 2000 W   L3e-A1 3500 W	<b>L*W*H</b>	1940 mm*730* mm*1160 mm
<b>Maximum power</b>	L1e-B 2400 W   L3e-A1 4700 W	<b>Wheelbase</b>	1327 mm
<b>Battery model</b>	Polymer lithium battery		
<b>Battery capacity</b>	60 V/45 Ah   60 V/32 Ah	<b>Ground Clearance</b>	130 mm
<b>Charging time</b>	3.5 h (Fast charger)   6 h (Normal charger)	<b>Seat Height (R point)</b>	855 mm
<b>Charging power</b>	900 W (Fast charger)   480 W (Normal charger)	<b>Rims</b>	Fr. 1.85-16   Rr. 2.5-14
<b>Autonomy</b>	L1e-B 80 km*   L3e-A1 65 km*	<b>Tyres</b>	Fr. 90/80-16   Rr. 90/90-14
<b>Max speed</b>	L1e-B 45 km/h   L3e-A1 80 km/h	<b>Suspension</b>	Hydraulic damping system
<b>Climbing angle</b>	14°	<b>Brakes</b>	CBS
		<b>Colors</b>	White, Nado Grey

\*WMTC Stage 3

**Warning:** The photos and technical information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Vmoto International. Vmoto cannot be held responsible for any print and/or translation errors. This catalogue is transitional and therefore some products may not be available and/or their features may vary in accordance with local laws. Not all colours and versions are available in each country. Vmoto reserves the right to make changes and improvements to any product without obligation of prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the pertinent owner's manuals. The products represented are not definitive versions and are therefore subject to significant changes at Vmoto's discretion without prior notice. The photographs published in this catalogue show only professional riders under controlled street conditions. Do not attempt to imitate such riding behaviour as it could be dangerous for you or other people on the road. This catalogue, including but not limited to the trademarks, logos, texts, images, graphics and table of contents herein, constitute Vmoto intellectual property, or in any event Vmoto has the right to reproduce it; any reproduction, modification or other whole or partial use of the catalogue or its contents, including publication on the Internet without the prior written consent of Vmoto, is prohibited. Actual battery consumption may vary based on many factors, including but not limited to riding style, maintenance performed, weather conditions, surface characteristics, tyre pressure, load, weight of the rider and the passenger, accessories. The weights in running order are considered with all operating fluids, standard equipment and battery. For more information visit [www.vmotosoco.com](http://www.vmotosoco.com).

April 2023

### Vmoto Limited

Level 48, 152-158 St Georges Terrace  
Perth Western Australia 6000, Australia

### Vmoto Soco International

15, Zhongxing East Road - Lishui Economic Development Zone  
Lishui District, Nanjing 211200 - Jiangsu Province, China

### Vmoto Europe

Boekweitstraat 95-97, 2153 GK  
Nieuw Vennep, The Netherlands



Official  
Electric Scooter  
Supplier

### Vmoto Soco Italy

Viale Fratelli Casiraghi, 427  
20099 S. San Giovanni  
Milan District, Italy